

BERNINA 580 Liberty Edition

Sewing Caddy In-the-Hoop

Customize this In the Hoop (ITH) Sewing Caddy with your favorite Liberty fabric and embroidery designs. Perfect to use as a sewing kit or a small makeup bag with room for 2 lipsticks.



Designs

There are two caddy versions in the machine. Both use design *Velasco 26* as the inside. Select your preferred outside design.



Velasco 25: Outside Caddy with Flowers

Velasco 26: Inside Caddy

Velasco 27: Outside Caddy Quilted Grid



Supplies

Fabric & Stabilizers

Outer fabric	1 x 25cm x 15cm (6in x 10in)
Outer lining	1 x 25cm x 15cm (6in x 10in)
Inner top	1 x 16cm x 16cm (6-3/8in x 6-3/8in)
Inner bottom	2 x 16cm x 10cm (6-3/8in x 9-7/8in)
Iron-on interfacing	1 x 16cm x 16cm (6-3/8 in x 6-3/8in) for the inner top
Tear away	2 x 38cm x 26cm (15in x 10in) for large oval hoop
Batting for outer panel	25cm x 15cm (6in x 10in)
Batting for needle holder	7cm x 3.5cm (2-3/4in x 1-1/2in)

Notions

White elastic, 2cm (7/8in) 4-1/2in wide x 11cm
 Zipper, 16cm / 6-1/4"
 2 small snaps to match
 Size 80 embroidery needle
 OESD Expert Embroidery Tape or scotch tape
 Fabric marking pencil
 Iron

Sewing Machine Accessories

Large Oval Hoop
 Embroidery Foot #26
 Zipper Foot #4D

Threads

Embroidery threads
 Embroidery bobbin thread

Instructions:

Tip: Embroider at a low speed, you can even embroider using your foot control – especially for attaching the elastic. I always recommend you secure the pieces with tape. Attaching the slide-on table supports the hoop especially when you are taping.




Turn off the Thread Away setting as the movement can catch on the project under the hoop.





When you open the caddy designs, they will open in a larger hoop. This is because of the rectangle boundary around the design. Select the Large Oval Hoop and move the design down so it fits in the hoop and there is no red line around the hoop. Do this for both panels.





Caddy Outer Panel

1. Hoop the Tearaway in the Large Oval Hoop. Place the batting and one layer of fabric on top, make sure it is right at the bottom of the inner hoop. Tape it in place.
2. On the back side of the hoop tape the outer lining, right side out.
3. Select the design *Velasco 25 Outer Grid with Flower* or *Velasco 27 Outer Grid*.
If using *Velasco 27* you can embroider the grid as is or you can also add a design of your choice. If you add a design make sure it is positioned more than 1cm up from the edge of the caddy.
4. Activate Baste Around the Design to baste the panel in place and then you can remove the tape.
5. Embroider following the color instructions on the machine.
6. When the embroidery is finished remove it from the hoop and remove as much stabilizer as possible.
7. Trim away the excess fabric leaving a seam allowance of $\frac{1}{4}$ in (6mm).



Caddy Inner Panel

<ol style="list-style-type: none"> 1. Iron the interfacing to the lining – 16 x 16cm (6 3/8in x 6 3/8 in) piece 2. Hoop the second piece of Tearaway in the Large Oval Hoop. 3. Go to the Settings, select the monitoring functions and turn off the top and bottom sensors. 	
<ol style="list-style-type: none"> 4. Select the design <i>Velasco 26 Caddy Inner Panel</i>. 5. Color 1 (no thread) Caddy outline and zipper placement - Stitch without thread to give you a placement line for the fabric and zipper. 6. Turn the upper and lower thread sensors back on and thread the machine with a matching thread. 7. Place the zipper, right side up, with the zipper pull on the right of the stitching holes and the pull facing towards the right side of the hoop. Tape in place. 	
<ol style="list-style-type: none"> 8. Place one lower inner bottom piece against the zipper, right side down, facing upwards and tape in place. 9. Color 2 Stitch the zipper and inner bottom in place. 	
<ol style="list-style-type: none"> 10. Remove the hoop from the machine Use the previous stitching as a guide, place the second inner bottom right side, to the stabilizer on the back of the hoop and tape (top and bottom). This will create the lining of the zippered pocket. 	


<p>11. Color 3 Stitch the lining in place and remove tape.</p> <p>12. Press both pieces in position and tape.</p>	
<p>13. Place inner top against the zipper, right side down, facing downwards and tape in place.</p> <p>14. Color 4 Stitch the inner top in place – no lining needed. Remove tape. Press upwards and tape.</p>	
<p>15. Color 5 Move the zipper pull to the center. Stitch very slowly or use the foot control. Start topstitching around the zipper but stop the machine before reaching the zipper pull. Set the needle down. Move the zipper pull out of the way, then stitch to the end. When finished, leave the zipper almost completely open, this is important for turning though.</p> <p>16. Color 6 Stitch caddy outline.</p>	
<p>17. Color 7 Stitch to mark the placement of needle and thread holders. (Dark thread has been used in the photo so you see it better – use a matching thread)</p>	

Tip: Before stitching I like to use the needle up/down button to bring up the bobbin thread. This also shows you where the stitching starts. If you want a more robust stitching you can stitch each one twice.

18. Mark the center of the elastic with a fabric marker (at 5.5cm)
19. Place the elastic facing upwards with the end 1cm below the top placement line and tape.
20. **Color 8** Stitch in place and remove the tape. (Do this after each time you stitch)



21. **Color 9** Fold down the elastic and tape. Select needle up/down to know where the seam will start and topstitch the elastic in place.
22. Position the elastic center marking on middle stitched placement line. Tape in place.
23. **Color 10** Stitch center line.
24. Fold the lower piece under 1cm and position at the lower stitched placement seam and tape.
25. **Color 11** Stitch lower seam.



26. Fold needle holder batting in half, mark and hold or tape in position.
27. **Color 12** Stitch in place.
28. **Leave in the hoop**



Caddy Assembly

27. Place the Outer Panel right sides facing on the still hooped Inner Panel and tape in place. Don't forget to check the zipper is half open for turning through.
28. Color 13 Sew the Caddy outline.
29. Remove from the hoop. Trim the seam allowance to 1/8" (3mm). Remove excess stabilizer and turn through.
30. Attach your snaps – one in the inside top center 1cm from the top. Fold up the caddy to find the placement for the other side of the snap on the lower outer.
31. Change to sewing mode and attach the zipper foot #4D. Select a matching bobbin thread for the outer panel.
32. Sew with straight stitch along the upper zipper topstitch to close the upper part of the caddy (closing the zipper makes it easier).

