LIBERTY & FLOWERS

A QUILT PATTERN BY






FABRIC		CUTTING		
Lavender	⁵⁄8 yd.	27 - Template-A		
Gray	³⁄₅ yd.	20 - Template-A		
Mustard	5⁄8 yd.	56 - Template-B reversed		
Gingham	⅓ yd.	12 - Template-A		
White	1 ¾ yd.	64 - Template-B, 8 - Template-B reversed, 6 - 5 ½" x WOF		
Floral	⅓ yd.	5 - Template-A		
Binding	½ yd.	6 - 2 ¼" x WOF		
Backing	3 yd.			

IN DEPTH TUTORIAL! For a full list of quilting terms, tool and supplies, visit <u>bit.ly/quilting-supplies</u>

WOF = Width of Fabric: cotton broadcloth commonly used for quilting is 42"

Fig. 1



Block Assembly

Unfinished size: 5 ½" x 6"

- Using the cover image as a reference, group the three block pieces needed together, making sure that each group has 1 Template-A, 1 Template-B and 1 Template B reversed. Fig. 1
- Right sides together, line up the diagonally cut edges of Temp-A and Temp-B reversed leaving small overlap triangle as seen in Fig. 2. Sew a ¼" seam.
- 3. Iron seam toward the darker fabric.
- 4. Repeat Steps 2 and 3 with Temp-B and press seam toward the darker fabric to yield 64 unfinished blocks. Fig. 3

Fig. 2

Fig. 3





Fig. 4

front side	``\	\rightarrow	front side		front side
,	side	sew here	and trim excess	:	1
	back :				

Quilt Assembly

- Using the cover image as a reference, arrange the blocks into 8 rows, with each row containing 8 blocks. Sew the blocks in each row together.
- 2. Press all of one row seams going one direction. Then press all of the neighboring row seams going the opposite direction.
- 3. Sew rows together.
- 4. Sew all of the 5 $\frac{1}{2}$ " x WOF border strips together using a 45° angle. See **Fig. 4**. Trim the long strip down to 2 5 $\frac{1}{2}$ " x 40 $\frac{1}{2}$ " and 2 5 $\frac{1}{2}$ " x 54 $\frac{1}{2}$ " strips.
- 5. Sew the 5 $\frac{1}{2}$ " x 40 $\frac{1}{2}$ " border strips to the top and bottom. Press, then sew the 5 $\frac{1}{2}$ " x 54 $\frac{1}{2}$ " strips to the sides as seen in Fig. 5.





Finishing th Quilt

- 1. Layer the backing wrong side up, the batting and quilt top right side up. Baste as desired. Quilt as desired.
- 2. Trim the excess batting and backing and square up the quilt.
- 3. Join the binding strips together with a diagonal seam. Trim and press seams open.
- 4. Once all of the strips are sewn together, fold in half, wrong sides together, and press flat to create the binding. Sew binding to your quilt by lining up the raw edges.
- 5. After binding is sewn to your quilt, fold over and either machine stitch or whip stitch the binding to finish off the edges of the quilt.



Check out the Suzy Quilts YouTube channel for more tutorial videos! <u>bit.ly/suzyquilts</u>



1" test square

